

ESTTA Tracking number:

ESTTA83586

Filing date:

06/02/2006IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE TRADEMARK TRIAL AND APPEAL BOARD

Proceeding	92043900
Party	Defendant DIE GEM CO., INC., THE DIE GEM CO., INC., THE P.O. BOX 8033 MAPLE VALLEY STATION AKRON, OH 44320
Correspondence Address	THE DIE GEM CO., INC. P.O. BOX 8033, MAPLE VALLEY STATION AKRON, OH 44320
Submission	Opposition/Response to Motion
Filer's Name	James R Adams
Filer's e-mail	JRA@die-gem.com
Signature	/James R Adams/
Date	06/02/2006
Attachments	RespPetToExtendDiscovery.pdf (6 pages)(337364 bytes) Att#2-1ExplanOf IntSear .pdf (3 pages)(165298 bytes) Att#2-2GoogleSerMar1605. .pdf (11 pages)(990848 bytes) Att#1-1PetTo Canc92043900.pdf (1 page)(192844 bytes) Att#1-2PetTo Canc92043900.pdf (1 page)(172697 bytes) Certification 6_2_06.pdf (1 page)(22854 bytes)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
TRADEMARK TRIAL AND APPEALS BOARD

U.S. Reg. No. 1,384,270

OMNOVA SOLUTIONS, INC.,

Petitioner; Cancellation No. 92043900

v.

THE DIE GEM CO., INC.,

Respondent.

Respondent The Die-Gem Co., Inc Reply to Petitioners OMNOVA Solutions Inc. Motion to Compel And Extend Discovery

Respondent The Die-Gem Co., Inc. believes that the Discovery Period is closed and should remain closed and that the Respondent The Die-Gem Co., Inc. should not be compelled.

Petitioners OMNOVA Solutions Inc. has had the answer to their Discovery queries for one year, May 30, 2005, in the Answer to Petition to Cancel 92043900. As well, the Representative for Petitioner OMNOVA Solutions Inc. has been allowed to review Trade Secret information. The information disclosed from these two sources more than answers the Petitioner OMNOVA Solutions Inc. false accusations and discovery request. Further The Die-Gem Co., Inc. has declared to the use, continued use, and plans for future use of the mark PEEL N STICK to The United States Patent and Trademark Office and was

granted in June 2005 a 10-year extension. Further, the Die-Gem Co., Inc. has protected and continues to protect the mark PEEL N STICK.

Hundreds of hours have been allocated to the defense and protection of mark PEEL N STICK.

Detail of Response to Discovery

1. Particularization to each query and request was given. Detailed answers were given to any answer sought that had not been given or data provided prior to Discovery.
2. Certain queries were intrinsic to the information marked Trade Secret and could not be answered without revealing other Trade Secrets.
3. Information concerning the product make-up if revealed could be used by anyone. There are many applications where this information could be applied not including weatherization products.

Further to the Information Not Revealed

The Petitioner OMNOVA Solutions Inc. is a large Company with two Research & Development facilities with Analytical Laboratories. The Petitioner OMNOVA Solution Inc. also has ongoing research with several Universities. The Respondent The Die-Gem Co., Inc. as a small Company wonders why the Petitioner OMNOVA Solutions Inc. would want to waste the Trademark Trial and Appeal Board's time by asking The Respondent The Die-Gem Co., Inc. questions they are better able to answer.

The product line of the Respondent The Die-Gem Co., Inc. has been available since 1971 to the general public. Further, the product line of the Respondent The Die-Gem Co., Inc. has been available on line to the public since 2001. The Petitioner OMNOVA Solutions Inc. may have purchased and found the information they were looking for over the last two years or earlier, a time period we are not cognizant of, the Petitioner OMNOVA Solutions Inc. has had the opportunity to examine the Respondent The Die-Gem Co., Inc. product line. What the Petitioner OMNOVA Solutions Inc. did present were fabrications.

The Fabrications

A. The Respondent The Die-Gem Co., Inc. would like to reminded Trademark Trial and Appeal Board that the Petitioner OMNOVA Solutions Inc. has stated in their Petition, "Petitioners OMNOVA Solutions Inc. believes and alleges that Respondent has abandoned the mark "PEEL N STICK," has made no use of it in connection with any goods for at least three consecutive years preceding the filing of this claim (October 2001) for cancellation, and has no intent to resume such use." The complete Petition to cancel 92043900 see Attachment #1. To reiterate the proof sighted many times JPBGs of our literature are available on line at www.kcl-eezweatherization.com and have been available to the public by fax and or mail and at exhibits and other venues. Many avenues for relevant information were and are available to the Petitioner OMNOVA Solutions Inc. Petitioner OMNOVA Solutions Inc. states, in the Petition #92043900, that their efforts showed no results. Relevant Search Information presented to the Trademark Trial and Appeal Board May 30, 2005 by the Respondent The Die-Gem Co., Inc of the

Internet shows overwhelmingly mark PEEL N STICK was 1 or 2 in the many searches.

Attachment # 2

B. "Petitioner, Omnova Solutions, Inc., pursuant to Trademark Rule 2.111, hereby petitions to cancel Registration No. 1,384,270 of Respondent " The Die Gem Co Inc. The Respondent The Die-Gem Co., Inc. believes the Trademark Trial and Appeal Board should be asking the Petitioner OMNOVA Solutions Inc. why Petition #92043900 does not show bad faith and as such, the Petition # 92043900 should be terminated with prejudice. .

C. "As a result of Respondent's failure to use the Mark "PEEL N STICK" and lack of intent to resume such use, the mark has become abandoned for purposes of Section 45 of the Trademark Act, 15 U.S.C. ~ 1127". The Respondent The Die-Gem Co., Inc. currently advertises the mark PEEL N STICK in Thomas Register and on the Internet? These are some of the visible efforts of the Respondent The Die-Gem Co., Inc. is and has made to protect the valuable mark PEEL N STICK

Response to (False) Allegation of the Petitioner OMNOVA
Solutions Inc.

Respondent's The Die Gem Co., Inc. believes it has covered the full scope of the allegations brought in the Petition to Cancel 92043900. Further, Respondent's The Die


92043900

Page 5 of 6

Gem Co., Inc. has and is protecting the Mark PEEL N STICK and has made every effort to cooperate with the Trademark Trial and Appeal Board and to answer any and all relevant queries. Respondent's The Die Gem Co., Inc. believes that the Petition # 92043900 is a fraud and is a waste of the valuable time of the Trademark Trial and Appeal Board. The continuation of this Proceeding seriously hampers Respondent's The Die Gem Co., Inc., a small company with limited resources, from protecting the Mark PEEL N STICK. Respondent's The Die Gem Co., Inc is aware of a serious breach in the use of the Mark PEEL N STICK. And implores the Trademark Trial and Appeal Board to bring this proceeding to an end.

In Response

May 31, 2006



James R. Adams

President

330 734-7400

JRA@die-gem.com

The Die-Gem Co., Inc.

United States Patent and Trademark Office
Trademark Trial and Appeal Board
P O Box 1451
Alexandria, Va. 23313-1451

Petitioner Omnova Solutions Inc
 175 Ghent Road
 Fairlawn Oh 44333-3300

92043900

v.


Respondent The Die-Gem Co., Inc.
 One The Die-Gem Way
 Akron, Ohio 44312-1539

5/31/2006

Sir:

I here by certify that on May 31, 2006 a true copy of the foregoing Response to the Motion to Compel and Extend Discovery was sent by first class mail, properly addressed and postage prepaid to:

Mr. Michael C Whittcar
Jagiani + Gurttag
10363-A Democracy Lane
Fairfax, Va. 22030



James R Adams
President
The Die-Gem Co., Inc.

330 784-7400

JRA@die-gem.com

attached Advertising Requirement form (Adv# 201), remove KEL-EEZ® trademarks and trade names from the directory.

Exhibit # 1 demonstrates, through media ads, ad slicks, advertising rules, in-store merchandising and product directory forms, use from the past to the present.

Exhibit # 2 demonstrates, in brochures, stuffers, catalogs and contractor as well as consumer product literature, use from the past to the present.

Exhibit # 3 demonstrates, use of packaging, package labels, package over-lay cards and carton stickers, use from the past to the present

Proof-of-use:

C. Internet Searches using Google Search Engine

Exhibit # 4

A Google search of the Internet has been carried out to show the mark PEEL N STICK® with relevant nouns and the words PEEL & STICK. Eleven terms were searched. The placement of the terms, total number search results and key words for each search are listed below. The detail of the Google search engine results are shown in Exhibit 4-4-1 through 4-11

KEL-EEZ or The Die-Gem Company has not now or ever had a business relationship with Google search engine. KEL-EEZ® weatherization products have been on the World Wide Web since 1999. KEL-EEZ weatherization includes PEEL N STICK products. The Die-Gem Company web site is at www.diegem.com.

1. Search words: PEEL N STICK® WEATHERSTRIP

FOUND: 542 reference sites

KEL-EEZ position on list: 1 See Exhibit 4 4-1

2. Search words: PEEL N STICK® WEATHER STRIP

FOUND: 35,800 reference sites

KEL-EEZ position on list: 6 See Exhibit 4 4-2

3. Search words: PEEL N STICK® Brass weatherstrip

FOUND: 360 reference sites

KEL-EEZ position on list: 1 See Exhibit 4 4-3

4. Search words: PEEL N STICK® Vinyl weatherstrip

FOUND: 431 reference sites

KEL-EEZ position on list: 1 See Exhibit 4 4-4

5. Search words: PEEL N STICK® Door weatherstrip

Search words PEEL N STICK®, PEEL & STICK and PEEL & STICK™ are well entrenched on the Internet. PEEL N STICK mark is totally entwined with all of KEL-EEZ Weatherization products and is the key word to product sales on the Internet. The search words PEEL & STICK and PEEL & STICK™ give over 500,000 search result sites. Exhibit 4- 10 and 11 show multiple results for PEEL & STICK™. This is further evidence of the bad faith shown by Omnova Solutions Inc. in continuing to dilute the mark PEEL N STICK.

An analysis of the site www.die-gem.com/ over a 90-day period indicates that there were over 57 thousand hits with 50 identifiable domains. There were over 12 thousand domain hits from the United States. The domain types were .com, net and mil. There were over 2.5 million bites a day transferred. Exhibit 4-12 is the Thomas.net ad (a company profile) and is at

<http://www.ThomasNet.com/heading.htm?cov=NA&which=prod&what=weather+stripping&heading=93110401&searchpos=13&cid=1089477&navsec=results> on the Internet.

Internet Search for PEEL N STICK Exhibit # 4

4 - 1

Evidence of continued use of the mark PEEL N STICK®

Google Search: PEEL N STICK® WEATHERSTRIP

SEARCH RESULTS



Web Images Groups News Froogle Local More... more »
 Advanced Search

Web

Results 1 - 10 of about 542 for PEEL N STICK® WEATHERSTRIP. (0.95 seconds)

[KEL-ESZ Sealer Catalog Sheet](#)

... Custom Adhesive Backed Weather-strip Available. ... in Length, peel1.jpg (21409 bytes), PEEL-N-STICK Brass, 1 3/8" wide by 1/8 High Brass Spring Seal, ...
www.die-gem.com/KEL-ESZsealercatalogsheet.htm - 47k - Cached - Similar pages

[Home Care Tips: Tips](#)

... Simply add a peel-n-stick weather strip at the perimeter of the hatch on the warm side of the hatch and glue sheet foam insulation atop the hatch on the ...
www.casosrenovations.com/html/tips.htm - 7k - Cached - Similar pages

[Product: Stick™ in Weatherstrip](#)

... PT Cruiser Sh... > Weatherstripping > Stick on Weatherstrip ... Simply peel off adhesive cover and apply weatherstrip to restore seal on doors, trunks, ...
www.jcwhitney.com/.../N-111+600008539+10209/IS-Browse/scd-body/s-10101/.../StoreCatalogDisplay/ss-10109-36k - Cached - Similar pages

[Product: TAILGATE WEATHERSTRIP UNIVERSAL](#)

... Secure peel-and-stick installation. Easy-to-trim 10-ft. length allows for effortless ... Tailgate Weatherstrip for All Pickups, Each, ZX813120N, \$20.99 ...
www.jcwhitney.com/.../N-111+600008539+10209/IS-Browse/scd-body/s-10101/.../StoreCatalogDisplay/ss-10109-32k - Cached - Similar pages

[INSTR In-Spec 2200 Portable Testers](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... Other cells available: 250 N (50 lbs), 125 N (25 lbs) ... Data storage in PDA or memory stick, with standard hot-sync to PC ...
www.instron.com/wa/library/streamFile2.aspx?sdock=424 - Similar pages

[Automotive Recalls and Technical Service Bulletins for 1985 Ford](#)

... Service Bulletins for 1985 Ford Truck F 150 4WD Pickup V8-302 5.0L VIN N F1. ... Manual Revision: 88141 JUL 88 Vent Windows - May Stick to Weatherstrip ...
www.saferauto.com/TSB/20/35201703.html - 26k - Cached - Similar pages

[INSTR UL II Rev L1 \(10.07.04\).xls](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... Cable tie the N-Bus harness to the bracket. Fig. 4 ... (4) Peel off tape protector from the splitter. Place the splitter on the tuner and secure into ...
www.jeepparts.com/questsatellite.pdf - Similar pages

[INSTR JK II Rev L0 \(4.22.04\).xls](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... Insert the stick under the rubber molding. Twist it ... (must use 3M, P/N 09662) ... Do not peel off the entire clear tape protector. Pull ...
www.jeepparts.com/altimesat.pdf - Similar pages
 [More results from www.jeepparts.com]

Sponsored Links

[Weatherstripping & Seals](#)
 Car & truck window sweeps, door, T-top, roof rail, trunk seals, kits
www.1aauto.com

[Get Weatherstripping Here](#)

Buy Over 5000 Pemko Products Online
 For Contractors & Commercial Sales
www.ebuildingsource.com

[Weatherstripping](#)

Find a quick and clever solution at ImprovementsCatalog.com
www.improvementscatalog.com

[Weatherstrip](#)

Shop Our Catalogs, Sale Items & Clearance Online - Free Shipping!
www.JCWWhitney.com

[Peel N Stick](#)

Great deals on new and used items.
 Search for peel n stick now! -aff
www.eBay.com

[Glass Distributors, Inc.](#)

Weather Seals Wholesale & Retail,
 Windows & Doors 1000+ profiles
www.glassdistributorsinc.com

[Need Weatherstripping?](#)

Commercial and Residential
 Thresholds, Door Bottoms, and More!
www.randyssurleymfg.com

[Peel And Stick](#)

Shop for Office Supplies!
 Compare & Buy from 1000's of Stores
www.Shopping.com

Attachment 2
May 30, 2006

Internet Search for PEEL N STICK Exhibit # 4

Evidence of continued use of the mark PEEL N STICK®

Google Search PEEL N STICK® WEATHERSTRIP

201205 08:36 AM

PDF Improving Window Energy Efficiency

File Format: PDF/Adobe Acrobat · View as HTML

... using the smoke of a lit incense stick as an indicator. ... Weatherstrip, side of sash. Weatherstrip, upper and lower sashes. V-strip, OUTSIDE ...

oee.nrcan.gc.ca/.../index.cfm?act=online&


id=4071&format=PDF&lang=01&PrintView=N&Text=N · Similar pages

Boston.com / Your Life

... floor with peel and stick vinyl tiles. If i tear out the linoleum, ... If it is that wide, you can fill it with hydraulic cement (Top 'n' Bond is one ...

www.boston.com/news/chat/at_homo/hotton_112404.htm · 47K ·

Cached - Similar pages



Result Page: 1 2 3 4 5 6 7 8 9 10 Next

 [Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) | [Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


Internet Search for PEEL N STICK Exhibit # 4

4 - 2

Evidence of continued use of the mark PEEL N STICK®

Google Search: PEEL N STICK® WEATHER STRIP

TS1005 10:54 AM

**Web**Results 1 - 10 of about 35,800 for **PEEL N STICK® WEATHER STRIP**. (0.10 seconds)**Weather Strip**www.JCWhitney.com Shop Our Catalogs, Sale Items & Clearance Online - Free Shipping!

Sponsored Link

Did you mean: PEEL N STICK® WEATHERSTRIP**Glues**

... N68.jpg, Peel n Stick Here's a great crafting material for kids and adults. ...
 Cut strip with a scissor or knife to any length. Sew into pot holders, ...
www.homesew.com/glues.html - 24k - Cached - Similar pages

Sponsored Links

PDF Flexible LED Lighting for Reverse Channel Letter Illumination
File Format: PDF/Adobe Acrobat - View as HTML

... Each strip mounts quickly, with 3M Peel-N-Stick tape or it can be ... This rugged weather resistant, package is designed for signs mounted indoor or ...
www.globencorp.com/PDF/ThinLEO.pdf - Similar pages

Residential Index

... Peel 'N Stick™ is a rubberized asphalt waterproofing coating, ... It is especially suited for use in cool weather when rubberized asphalt tapes can lose ...
www.polyguardproducts.com/products/residential/ - 10k - Cached - Similar pages

KEL-EZ Sealer Catalog Sheet

... Custom Adhesive Backed Weather-strip Available. ... in Length, peel1.jpg (21409 bytes), PEEL-N-STICK Brass, 1 3/8" wide by 1/8 High Brass Spring Seal, ...
www.die-gem.com/KEL-EZsealercatalogsheet.htm - 47k - Cached - Similar pages

Westons Internet Online Catalogue

... Steri-bottle, Sterimar, Steri-strip, Stones, Stop N Grow, Stop Snoring ... FLIPSTICK is a dual purpose lightweight walking stick that converts to a ...
www.westons.com/wecatalog/ - 178k - Cached - Similar pages

Lippman Enterprises, Ltd. - Pachmayr Products - Recoil pads, Slip ...

... to increase the length of pull on your rifle or shotgun in warmer weather. ... coupled with a "peel-n-stick" adhesive backing makes a perfect accessory ...
www.lippman-enterprises.com/pachmayr4.html - 12k - Cached - Similar pages

North American Waterway

... harsh weather oxiditions, intensified UV rays, and accidental damage. ... Peel N Stick Velcro Pressure sensitive pre-coats are popular because of the ...
www.north-american-waterway.com/accesscovers.htm - 44k - Mar 9, 2005 - Cached - Similar pages

Total Plastics Inc. - Foam Tape Conversion

... light leakage, acoustical barriers, vibration dampening, weather-stripping, ... and are designed to offer excellent shear, peel, and tensile properties. ...
www.totalplastics.com/tape2.htm - 50k - Cached - Similar pages

Attachment 2
May 30, 2006

Internet Search for PEEL N STICK Exhibit # 4

4-3

Evidence of continued use of the mark PEEL N STICK®

Google Search 10/22 10:20:49 AM - Google Search

10/22/06 10:20 AM



Web Images Groups News Froogle Local New! more >
 [PEEL N STICK® Brass weatherstrip] Advanced Search Preferences

WebResults 1 - 10 of about 360 for **PEEL N STICK® Brass weatherstrip.** (0.49 seconds)[KEL-EEZ Sealer Catalog Sheet](#)

... Custom Adhesive Backed Weather-strip Available. ... in Length, peelf.jpg (21409 bytes), PEEL-N-STICK Brass, 1 3/8" wide by 1/8 high Brass Spring Seal,

... www.die-gem.com/KEL-EEZsealercatalogsheet.htm - 47k - Cached - Similar pages

[Boston.com / Your Life](#)

... floor and bathroom floor with peel and stick vinyl tiles. If I tear out the linoleum, ... Or, pull them and put long brass screws in their place. ...

www.boston.com/news/chats/st_harmothan_112404.htm - 47k - Cached - Similar pages

[Press Room](#)

... protection from the harsh elements that cause other patio doors to rust, peel and blister. ... easy and quiet gliding operation that won't stick or jam, ...

www.andersenwindows.com/.../Bkgnd_Parma-Shield_Gliding_Dx0x.asp?newsitemid=51&Contact=Product - 27k - Cached - Similar pages

[JELD-WEN Casement New Format.pdf](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Brass hardware will eventually tarnish because of exposure to the environment. ... Kerf / k?rf / n. A groove that often holds weatherstrip ...

www.jeld-wen.com/_pdf/NWC001.pdf - Similar pages

[JELD-WEN Guide to Casement Windows](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Brass hardware has a special protective film to reduce/eliminate polishing and requires ... Kerf / k?rf / n. A groove that often holds weatherstrip ...

www.jeld-wen.com/_pdf/PWC001.pdf - Similar pages

[Improvements Catalog - Table of Contents](#)

... Each kit includes polymer weatherstrip channels with flexible vinyl flaps for installation on ... Just stick it on, smooth, and peel the backing off. ...

www.youramigo.com/improvements/index0.html - 86k - Cached - Similar pages

[Improvements Catalog - Table of Contents](#)

... Description: More durable than door mounted weatherstripping, our floor ... put up by a professional, may eventually peel back in one corner or another. ...

www.youramigo.com/improvements/indexb1.html - 78k - Cached - Similar pages

[Product-Retail Price Catalog](#)

... FIBATAPE WBU FDW6570-U 7" X 7" WALL BANDAGE PEEL N STICK WALL REPAIR PATCH ... MD 01610 STANDARD DOOR WEATHERSTRIP MAG 36"X 84" WHITE ...

discountpaint.net/html/catalogtext.html - 513k - Cached - Similar pages

Sponsored Links

[Get Weatherstripping Here](#)
 Buy Over 5000 Perko Products Online
 For Contractors & Commercial Sales
www.ebuildingsource.com

[Max Seals & Wax](#)

Customised to your requirements
 Free shipping worldwide
www.citycoseals.co.uk

[Weatherstripping](#)

Find a quick and clever solution at improvementsCatalog.com
www.improvementscatalog.com

[Weatherstrip](#)

Shop Our Catalogs, Sale Items & Clearance Online - Free Shipping!
www.JCWhitney.com

[Peel Stick](#)

New & used Peel Stick. off
 Check out the deals now!
www.ebay.com

[Glass Distributors, Inc.](#)

Weather Seals Wholesale & Retail.
 Windows & Doors 1000+ profiles
www.glassdistributorsinc.com

[Need Weatherstripping?](#)

Commercial and Residential
 Thresholds, Door Bottoms, and More!
www.randyssurveysmfg.com

[Peel And Stick](#)

Shop for Office Supplies!
 Compare & Buy from 1000's of Stores
www.Shopping.com

Internet Search for PEEL N STICK Exhibit # 4

Evidence of continued use of the mark PEEL N STICK®

Google Search: PEEL N STICK® Brass weatherstripping

JULY 2006 10:49 A

eBay Canada - Windows Screens Hardware, Building Hardware and Home

... listing has pictures, WINDOW/DOOR AIR AND VAPOR BARRIER PEEL AND STICK ... Pictures Of Railroad History? Possible L & N RR Windows ...
home.listings.ebay.ca/Building-Hardware_Windows-Screens-Hardware_WOOQfnu21Q0fsoeZ100Bsp23Q0log/Z1QOsacat... - 141k -
Cached - Similar pages

PEEL ADHESIVES

PDF Format PDF/Adobe Acrobat - View as HTML

... acrylic adhesive with high peel and impact strength. Bonds almost all ...
weatherstrip adhesive, dried oil, grease, paint, varnish. ...
www.loctite.com/intl_henkell/doc/e_us/binarydata/pdf/LT3355v5_MROPProducts.pdf - Similar pages

GOOGLE SEARCH RESULTS

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

PEEL N STICK® Brass weather

[Search within results](#) | [Lexicase Tools](#) | [Search Tips](#) | [Disclaimers](#) | [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Internet Search for PEEL N STICK Exhibit # 4

4-4

Evidence of continued use of the mark PEEL N STICK®

Google Search: PEEL N STICK® Brush weatherstrip

SEARCH 21-53 A



Web Images Groups News Google Local New more »
 PEEL N STICK® Brush weatherstrip Advanced Search Preferences

Web

Results 1 - 10 of about 421 for PEEL N STICK® Brush weatherstrip. (0.07 seconds)

Weatherstripping

www.improvementscatalog.com Find a quick and clever solution at [Improvementscatalog.com](http://improvementscatalog.com)

Sponsored Link

KEL-EEZ Sealer Catalog Sheet

... about your Brush needs. Custom Adhesive Backed Weather-strip Available. ... in Length, [peel1.jpg](#) (21400 bytes). PEEL-N-STICK Brass, 1 3/8" wide by 1/8 ... www.die-gem.com/KEL-EEZsealercatalogsheet.htm - 47k -

Cached - Similar pages

Sponsored Links

Get Weatherstripping Here

Buy Over 5000 Pemko Products Online
For Contractors & Commercial Sales
www.ebuildingsource.com

Improving Window Energy Efficiency

... shut for the winter by using easy-to-remove tape or peel-and-stick caulk. ... To replace brush weatherstripping on a sliding window, remove the sash ... www.mican.gc.ca/.../index.cfm?act=online&id=4371&format=HTML&lang=01&PrintView=N&Text=N - 53k -

Cached - Similar pages

Weatherstrip

Shop Our Catalogs, Sale Items & Clearance Online - Free Shipping!
www.JCWhitney.com

Home Care Tips: Tips

... Simply add a peel-n-stick weather strip at the perimeter of the hatch on the ... Simply apply the mixture with a small brush and wait one and a half ... www.caseerenovations.com/tbtmflips.html - 7k - Cached - Similar pages

Glass Distributors, Inc.

Weather Seals Wholesale & Retail.
Windows & Doors 1000+ profiles
www.glassdistributorsinc.com

for Therma-Tru Hinged Patio Door System Unit InstallationFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... weatherstrip. Weatherstrip may be removed for easier painting or staining. ... Brush with the natural bristle brush in the direction of the grain to ... www.thermatru.com/pdf/Patio_Installation/HPDUnitInstallation.pdf - Similar pages

Peel Stick

New & used Peel Stick off
Check out the deals now!
www.ebay.com

PPR ADHESIVESFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... 20 gm stick. 40 gm stick. 7 gm pouch. 4 oz. brush-top can. 8 oz. brush-top can ... weatherstrip adhesive, dried oil, grease, paint, varnish, ... www.loctite.com/intl_henkel/locite_us/_binarydata/pdf/LT3355v5_MROProducts.pdf - Similar pages

Peel And Stick

Shop for Office Supplies!
Compare & Buy from 1000's of Stores
www.Shopping.com

Body Repairs

... The peel on the hood was so bad I decided to stick sand it with 600 grit wet ... "gommimg" on rubberized body sealing compound with a coarse brush. ... www.theautoist.com/body_repairs.htm - 131k - Cached - Similar pages

Peel n stick

Shop 600+ Merchants via OneCart™!
Do you SHOP.COM?
SHOP.COM

Enjoy The Drive – Car Cleaning Products

... including Auto Wash Stick, Auto Wash Brush, EZ! Dry Squeegee, wash and dry kit, ... including dash caps, door panels and weatherstripping. ... www.enjoythedriver.com/directory/detail.asp?id=26845 - 50k -

Cached - Similar pages

Need Weatherstripping?

Installed? Replaced? Free Local Contractor Search, Easy, Aff.
www.homeconnections.com

Richmond Supply - Industrial Supplies

... CARBORUNDUM - CUT-OFF MASONRY, CARBORUNDUM - DISC, STICK ON, CARBORUNDUM - FLAP ... DS202293, EA, 22-18-0250 DISC, 12.39,

CARBON BRUSH ASSEMBLY DISC ...

shop.rscd.com/search_results.asp?ndZS=INIDA&ZipSearch=&INIDASearch=10027&ExactMatch=0 - 78k - Cached - Similar pages

More Sponsored Links ↗

Internet Search for PEEL N STICK Exhibit # 4

Evidence of continued use of the mark, PEEL N STICK®

Google Search - PEEL N STICK® Brush weatherstrip

Results (1,12)

Richmond Supply - Industrial Supplies

... CARBORUNDUM - CUT-OFF MASONRY, CARBORUNDUM - DISC, STICK ON, CARBORUNDUM - FLAP WHEELS ...
MILWAUKEE - CARBON BRUSH ASSEM, MILWAUKEE - CHAIN SAW BLADES ...

Shop.sci.com/search_results_industrial.asp?rd2S=INIDAS&Z_pSearch=&INIDASearch=1001S&ExactMatch=0 - 75k - Cached - Similar pages
[More results from shop.sci.com]

Improvements Catalog - Table of Contents

... Description: More durable than door mounted weatherstripping, our foor ... put up by a professional, may eventually peel back in one corner or another. ... www.yoururnigo.com/improvements/indexb1.html · 76k · Cached - Similar pages

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


Internet Search for PEEL N STICK Exhibit # 4

4-5

Evidence of continued use of the mark PEEL N STICK®

Google Search: PEEL N STICK door weatherstrip

7/16/2011 11:28 AM

**Web**

Results 1 - 10 of about 703 for PEEL N STICK® Door weatherstrip. (0.35 seconds)

[Buy Door Weatherstrip](#)

HardwareStores.com Find Window & Door Hardware at Autobahn's New Website

Sponsored Links

[Weatherstripping](#)

www.improvementscatalog.com Find a quick and clever solution at ImprovementsCatalog.com

[Duck Tape Products | Product Tips](#)

... Removes Duck Tape, masking tape, carpet tape, weatherstripping tape, ...
 We recommend Peel 'n Stick liners for laminating or lining surfaces where ...
www.duckproducts.com/bps.asp?Sub=24&Cat=5 - 18k - Cached - Similar pages

Sponsored Links

[Door Weatherstrip](#)

Bargain Prices,
 You want it, we got it!
B2Rate.com

[DoItYourself.com Community Forums - Glue for vinyl tiles on cement...](#)

... I used vinyl tiles on concrete basement floor - peel n stick kind. ... Doors & Windows, Energy & Weatherstripping, Fireplaces & Chimneys ...
forum.doityourself.com/showthread.php?t=201017 - 57k - Cached - Similar pages

Sponsored Links

[Get Weatherstripping Here](#)

Buy Over 5000 Product Products Online
 For Contractors & Commercial Sales
[www.ebbuildingsource.com](http://www.ebuildingsource.com)

[Door Weatherstrip](#)

Shop for Tools and Hardware!
 Compare & Buy from 1000's of Stores
www.Shopping.com

[Weatherstrip:](#)

Shop Our Catalogs, Sale Items &
 Clearance Online - Free Shipping!
www.JCWhitney.com

[Door Seal](#)

Automatic door bottoms, jambs
 thresholds and astragal seals
www.acousticalsolutions.com/

[Door Weatherstrip](#)

Shop fast. Buy smart.
 Pay us a visit. You'll pay less!
Shopville.com

[Peel Stick](#)

Great deals on Peel Stick
 Shop on eBay and Save!
www.eBay.com

[Non Weatherstripping?](#)

Commercial and Residential
 Thresholds, Door Bottoms, and More!
www.randsurveysmfg.com

[More Sponsored Links»](#)

http://www.google.com/search?hl=en&tbo=d&tbo=q&tbo=q&q=PEEL+N+STICK+Door+weatherstrip&tbo=q&q=Search

Page 1 of 2

Proceeding # 92043900

Attachment 2
May 30, 2006

Internet Search for PEEL N STICK Exhibit # 4

Evidence of continued use of the mark PEEL N STICK®

Google Search: PEEL N STICK door weatherstrip

7/16/2011 11:28 AM

[Press Room](#)

... protection from the harsh elements that cause other patio doors to rust, peel
 and blister ... easy and quiet gliding operation that won't stick or jam ...
www.andersonwindows.com/...Skymnd_Perma-Shield_...
 Gliding_Door.asp?NewsItemID=51&Content=Product - 27k - Cached - Similar pages

[* Doors - \(Home\): Definition](#)

... divisor in the frame between windows, doors, or other openings. It back to top
 ... on our weatherization tour is to weather-strip the windows and doors, ...
en.wikipedia.org/wiki/Door - 58k - Cached - Similar pages

[Boston.com / Your Life](#)

... you can move that weatherstripping (the metal lip that fits into a slot in ...
 better to put down the peel-and-stick self-adhesive tiles. It is easier ...
www.boston.com/home/doctors.html - 10k - Cached - Similar pages

Internet Search for PEEL N STICK Exhibit # 4

Evidence of continued use of the mark PEEL N STICK®

Google Search: PEEL N STICK® window weatherstripping

X1636 X1.51 A

From Glossary of TermsFile Format: PDF/Adobe Acrobat - [View details/IML](#)

... N-R. S. J.M. F. B-C D-E. A. G-I. Fin seal Weatherstripping - A fuzzy strip

... needed to correctly house a window or door. Rubber. Weatherstripping ...

[www.quakerwindows.com/Web%20glossary.pdf](#) • Similar sources624 - Build efficient, attractive exterior storm windows yourself

... the frame slightly smaller than the outdoor window opening to allow room for

foam weatherstripping. ... Peel off the backing and stick it to the frame. ...

[www.duSey.com/docs/624.htm](#) - 8k - Cached - Similar pages

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Disclaimers](#) | [Help us improve](#)[Google Home](#) | [Advertising Programs](#) | [Business Solutions](#) | [About Google](#)

©2005 Google



Google Help Center

[Google Home](#)

[About Google](#)

[Help Center](#)

[Basics of Search](#)

[Advanced Search](#)

[Search Results Page](#)

[Setting Preferences](#)


Search Results Page

Attachment 1
May 30, 2006

Your search results page is packed with information. Here's a quick guide to decoding it.

Each underlined item is a search result that the Google search engine found for your search terms. The first item (not counting News results) is the most relevant match we found, the second is the next-most relevant, and so on down the list.

Clicking on any underlined item will take you to the associated web page. But first, here's a sample search results page, along with brief explanations of the various types of information about your search results that you can find there.



A. Top links

Click the link for the Google service you want to use. You can search the web, look for images, browse Google Groups (Usenet discussion archive), or use Froogle to search for products.

B. Google search button

Click on this button to submit another search query. You can also submit your query by hitting the 'Enter' key.

C. Advanced search

This links to a page on which you can do more precise searches. [[Learn more about Advanced Search](#)]

D. Search field

To do a search on Google, just type in a few descriptive search terms, then hit "Enter" or click on the "Google Search" button.

Attachment
May 30, 2006

E. Preferences

This links to a page that lets you set your personal search preferences, including your language, the number of results per page, and whether you want your search results screened by our SafeSearch filter to avoid seeing adult material.

F. Statistics bar

This line describes your search and indicates the total number of results, as well as how long the search took to complete.

G. Tip

Information that helps you search more efficiently and effectively by pointing out Google features and tools that might improve the query you just made.

H. OneBox results

Google's search technology finds many sources of specialized information. Those that are most relevant to your search are included at the top of your search results. Typical onebox results include news, stock quotes, weather and local websites related to your search.

I. Page title

The first line of any search result item is the title of the web page we found. If you see a URL instead of a title, then either the page has no title or we haven't yet indexed that page's full content, but its place in our index still tells us that it's a good match for your query.

J. Text below the title

This is an excerpt from the result page with your query terms are bolded. If we expanded the range of your search using stemming technology, the variations of your search terms that we searched for will also be bolded.

K. URL of result

This is the web address of the returned result.

L. Size

This number is the size of the text portion of the web page, and gives you some idea of how quickly it might display. You won't see a size figure for sites that we haven't yet indexed.

M. Cached

Clicking this link will show you the contents of the web page when we last indexed it. If for some reason the site link doesn't connect you to the current page, you might still find the information you need on the cached version.

N. Similar pages

When you select the Similar Pages link for a particular result, Google automatically scouts the Web for pages that are related to this result.

O. Indented result

When Google finds multiple results from the same website, the most relevant result is listed first, with other relevant pages from that site indented below it.

P. More results

If we find more than two results from the same site, the remaining results can be accessed by clicking on the "More results from..." link.

Attachment 1
May 30, 2006

Ours

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
TRADEMARK TRIAL AND APPEALS BOARD

U.S. Reg. No. 1,384,270

OMNOVA SOLUTIONS, INC.,

Petitioner:

v.

THE DIE GEM CO., INC.,

Respondent

PETITION TO CANCEL

Petitioner, Omnova Solutions, Inc., pursuant to Trademark Rule 2.11I, hereby petitions to cancel Registration No. 1,384,270 of Respondent, The Die Gem Co., Inc. In support of this claim, Petitioner respectfully states as follows:

1. On February 25, 1986, Respondent obtained Registration No. 1,384,270 for the mark "PEEL N STICK" used on the goods of "weather stripping" in International Class 17.
2. On February 11, 1992, Respondent filed a Section 8 and 15 Affidavit declaring continued use of the mark "PEEL N STICK." This affidavit was acknowledged by the Office on April 16, 1992.
3. Petitioner believes and alleges that Respondent has abandoned the mark "PEEL N STICK." has made no use of it in connection with any goods for at least three consecutive years preceding the filing of this claim for cancellation, and has no intent to resume such use.

Attachment 1
May 3rd, 2006

4. Petitioner, after repeated requests to Respondent, has received no evidence or documentation of continuous trademark use of the mark "PEEL N STICK."
5. As a result of Respondent's failure to use the mark "PEEL N STICK" and lack of intent to resume such use, the mark has become abandoned for purposes of Section 45 of the Trademark Act, 15 U.S.C. § 1127.

WHEREFORE, Petitioner requests that this petition to cancel be granted and Registration No. 1,384,270 be ordered canceled.

In addition with the petition to cancel, Petitioner authorizes the Commissioner to charge the cancellation fee under 37 C.F.R. § 2.6(a)(16) in the amount of \$300.00, and charge any additional fees or credit any overpayment under 37 C.F.R. § 2.6 to Deposit Account No. 10-0233-02-013-OMNO.

Respectfully submitted,



Ajay A. Jagtiani

JAGTIANI + GUTTAG
10363-A Democracy Lane
Fairfax, VA 22030
703.591.2664 (Phone)
703.591.5907 (Facsimile)

Date: October 28, 2004

United States Patent and Trademark Office
Trademark Trial and Appeal Board
P O Box 1451
Alexandria, Va. 23313-1451

Petitioner Omnova Solutions Inc
 175 Ghent Road
 Fairlawn Oh 44333-3300
92043900

V.

Respondent The Die-Gem Co., Inc.
 One The Die-Gem Way
 Akron, Ohio 44312-1539

June, 2 2006 Certification

Sir:

Please find enclosed the Response to Discovery Extension & Compel Request proceeding No. 92043900.

Response to PETITIONER'S Request to Extend Discovery and
Compel
Attachment #1 Petition To Cancel 92043900
Attachment # 2 Google Search

I certify that the above listed items were served by Internet addressed to Mr. Michael C Whitticar representative of Omnova Solutions Inc. at:

mikew@jagtiani.com

James R Adams JRA@die-gem.com
President
The Die-Gem Co., Inc.